



Stelrad[®]

Radiator Group

Vita Series

2018



LEADING THE WAY

Stelrad has been manufacturing high quality, steel radiators since 1936, so it's safe to say we know a thing or two about heating.

Since our beginnings, we've grown into the UK's number one radiator brand, manufacturing and distributing over 2.5 million radiators and products every year. With an expert research facility in Belgium, we're dedicated to continually developing innovative products and widening our extensive range to enable you to offer your customers the largest selection of technically-advanced radiator styles and sizes in the UK.

THINGS TO CONSIDER

Innovation, development and customer service is at the heart of everything we do, and we offer ranges of radiators to suit your every need. Energy saving, safety, designer style, kitchens, bathrooms - a huge choice, many available in 36 colours to match your taste and decor. Ordering is easy, and you can download simple fitting instructions and guides from our website. So when you're thinking about radiators, there's just one name to consider... Stelrad.

PRODUCT RANGES

Discover our range of designer radiators, expertly designed and styled to suit every taste and interior. You can choose from a range of shapes, sizes, colours and finishes.

COLOURS

These days you are not limited to a traditional white radiator, you have the freedom to choose the most suitable colour radiator which will complement the colour scheme of your room. Most of our radiators can be ordered in a choice of 36 colours and have up to an 8 week lead time.



FITTING

Plumbers and installers are at the heart of everything we do. Our definitive range of products offer a solution for every project and requirement. View our helpful range of downloadable installation documents and videos at Stelrad.com

QUOTE SERVICE

Our nationwide Specification and Quotes Teams are on hand to discuss your requirements for your project. Contact our expert Quotes Team for a personalised quote on 01709 572267 or email stelrad.quotes@stelrad.com

ORDERING

If you would like to order a product, please visit Stelrad.com to find your nearest stocking branch.



MARKET LEADING PRICES FROM YOUR MARKET LEADER

The Vita Series is made up of fifteen expertly selected radiators for the home, which provide unbeatable value, quality & design to suit every budget and taste.



VITA SERIES

Vita Value

Vita Compact

Vita Eco

Vita Deco

NEW Vita Deco Concept

Vita Plan

NEW Vita Plan Concept

Vita Column Horizontal

Vita Column Concept

Vita Column Vertical

Vita Ultra

Vita Compact Vertical

Vita Deco Vertical

Vita Plan Vertical

Vita Compact K3

WHY NOT UPGRADE?

VITA PLAN

from **£51.21**
exc. VAT.*



UPGRADE TO
A VITA PLAN
FROM **£17.06**



VITA DECO

from **£34.15**
exc. VAT.*



UPGRADE TO
A VITA DECO
FROM **£14.07**



VITA COMPACT

from **£20.08**
exc. VAT.*



All our Vita Series premium panel radiators have the same lugs and brackets plus all the same easy installation features that make them the UK's No.1 choice.

VITA COMPACT VERTICAL

from **£174.23** exc. VAT.**



VITA DECO VERTICAL

from **£241.13** exc. VAT.**



VITA PLAN VERTICAL

from **£259.91** exc. VAT.**



**UPGRADE TO
A VITA DECO
FROM £66.90**



**UPGRADE TO
A VITA PLAN
FROM £18.78**






Stelrad quality at the best price on the market. The Stelrad Vita Value is the obvious choice for homeowners.

50 Δt

(75/65/20°C)

K1



P+



K2



Height mm	Length mm	Stelrad UIN	Heat output Watts	Btu/hr	Price excl VAT	Price incl VAT	Stelrad UIN	Heat output Watts	Btu/hr	Price excl VAT	Price incl VAT	Stelrad UIN	Heat output Watts	Btu/hr	Price excl VAT	Price incl VAT
300	500	75301105	250	851	£18.60	£22.32	-	-	-	-	-	75302205	506	1727	£27.72	£33.26
	1000	75301110	499	1703	£30.35	£36.42	-	-	-	-	-	75302210	1012	3454	£48.25	£57.90
	1500	75301115	749	2554	£43.17	£51.80	-	-	-	-	-	75302215	1518	5181	£74.11	£88.93
	400	75451104	291	992	£19.00	£22.80	-	-	-	-	-	75452204	564	1925	£30.16	£36.19
450	500	75451105	364	1240	£21.09	£25.31	-	-	-	-	-	75452205	705	2406	£35.02	£42.02
	600	75451106	436	1488	£22.16	£26.59	-	-	-	-	-	75452206	845	2884	£38.79	£46.55
	700	75451107	509	1736	£25.85	£31.02	-	-	-	-	-	75452207	986	3365	£42.24	£50.69
	800	75451108	582	1984	£29.53	£35.44	-	-	-	-	-	75452208	1127	3846	£44.82	£53.78
	900	75451109	654	2232	£33.23	£39.88	-	-	-	-	-	75452209	1268	4328	£48.48	£58.18
	1000	75451110	727	2481	£36.92	£44.30	-	-	-	-	-	75452210	1409	4809	£51.71	£62.05
	1100	75451111	800	2729	£40.62	£48.74	-	-	-	-	-	75452211	1550	5290	£56.89	£68.27
	1200	75451112	872	2977	£44.31	£53.17	-	-	-	-	-	75452212	1691	5771	£62.07	£74.48
	1400	75451114	1018	3473	£51.69	£62.03	-	-	-	-	-	75452214	1974	6734	£79.94	£95.93
	1600	75451116	1163	3969	£59.08	£70.90	-	-	-	-	-	75452216	2255	7693	£91.36	£109.63
600	1800	75451118	1309	4465	£72.14	£86.57	-	-	-	-	-	75452218	2537	8655	£102.80	£123.36
	400	75601104	375	1279	£20.70	£24.84	75602104	564	1925	£27.66	£33.19	75602204	711	2427	£32.92	£39.50
	500	75601105	469	1599	£23.02	£27.62	75602105	705	2406	£32.23	£38.68	75602205	889	3034	£38.19	£45.83
	600	75601106	562	1918	£24.17	£29.00	75602106	845	2884	£35.86	£43.03	75602206	1067	3642	£42.30	£50.76
	700	75601107	656	2238	£28.20	£33.84	75602107	986	3365	£38.55	£46.26	75602207	1245	4249	£46.07	£55.28
	800	75601108	750	2558	£32.22	£38.66	75602108	1127	3846	£44.04	£52.85	75602208	1422	4853	£48.91	£58.69
	900	75601109	843	2877	£36.25	£43.50	75602109	1268	4328	£49.56	£59.47	75602209	1600	5461	£52.90	£63.48
	1000	75601110	937	3197	£40.27	£48.32	75602110	1409	4809	£55.08	£66.10	75602210	1778	6068	£56.42	£67.70
	1100	75601111	1031	3517	£44.31	£53.17	75602111	1550	5290	£60.58	£72.70	75602211	1957	6676	£62.07	£74.48
	1200	75601112	1124	3836	£48.32	£57.98	75602112	1691	5771	£66.08	£79.30	75602212	2134	7283	£67.69	£81.23
	1400	75601114	1312	4476	£56.39	£67.67	75602114	1974	6734	£77.09	£92.51	75602214	2490	8495	£87.23	£104.68
	1600	75601116	1499	5115	£64.45	£77.34	75602116	2255	7693	£88.11	£105.73	75602216	2846	9710	£99.66	£119.59
700	1800	75601118	1687	5755	£78.70	£94.44	-	-	-	-	-	75602218	3201	10922	£112.13	£134.56
	2000	-	-	-	-	-	-	-	-	-	-	75602220	3557	12137	£171.61	£205.93
	400	75701104	427	1458	£28.30	£33.96	-	-	-	-	-	75702204	804	2744	£44.98	£53.98
	500	75701105	534	1822	£31.45	£37.74	-	-	-	-	-	75702205	1006	3433	£52.21	£62.65
	600	75701106	641	2186	£33.01	£39.61	-	-	-	-	-	75702206	1207	4119	£57.84	£69.41
	700	75701107	748	2551	£38.53	£46.24	-	-	-	-	-	75702207	1408	4806	£62.96	£75.55
	800	75701108	854	2915	£44.03	£52.84	-	-	-	-	-	75702208	1610	5492	£66.83	£80.20
	900	75701109	961	3280	£49.55	£59.46	-	-	-	-	-	75702209	1811	6178	£72.29	£86.75
	1000	75701110	1068	3644	£55.04	£66.05	-	-	-	-	-	75702210	2012	6864	£77.10	£92.52
	1100	75701111	1175	4008	£60.54	£72.65	-	-	-	-	-	75702211	2213	7550	£84.83	£101.80
	1200	75701112	1282	4373	£66.06	£79.27	-	-	-	-	-	75702212	2414	8236	£92.53	£111.04
	1400	75701114	1495	5102	£77.07	£92.48	-	-	-	-	-	75702214	2816	9608	£119.20	£143.04
	1600	75701116	1709	5830	£88.06	£105.67	-	-	-	-	-	75702216	3219	10983	£136.22	£163.46
	1800	75701118	1922	6559	£107.58	£129.10	-	-	-	-	-	75702218	3621	12355	£153.25	£183.90

$\Delta t50$ is the UK's industry standard for heating outputs, which has an operating temperature of 75/65/20°C. If you have a low temperature heat source you may wish to consider $\Delta t40$ or $\Delta t30$ output (see your installer or system designer or download from www.stelrad.com).

For EN442 data, technical and installation information please visit our website: www.stelrad.com and search product downloads.





The Stelrad Vita Compact is a stylish compact radiator, with a compact price to match.


50 Δt

(75/65/20°C)

K1



P+



K2



Height mm	Length mm	Stelrad UIN	Heat output Watts	Heat output Btu/hr	Price excl VAT	Price incl VAT	Stelrad UIN	Heat output Watts	Heat output Btu/hr	Price excl VAT	Price incl VAT	Stelrad UIN	Heat output Watts	Heat output Btu/hr	Price excl VAT	Price incl VAT
300	500	76301105	247	843	£20.08	£24.10	-	-	-	-	-	76302205	491	1676	£29.94	£35.93
	1000	76301110	494	1686	£32.77	£39.32	-	-	-	-	-	76302210	982	3352	£52.09	£62.51
	1500	76301115	741	2528	£46.61	£55.93	-	-	-	-	-	76302215	1473	5027	£80.04	£96.05
	400	76451104	286	977	£20.50	£24.60	-	-	-	-	-	76452204	548	1870	£32.58	£39.10
450	500	76451105	358	1221	£22.78	£27.34	-	-	-	-	-	76452205	686	2341	£37.82	£45.38
	600	76451106	430	1466	£23.93	£28.72	-	-	-	-	-	76452206	823	2809	£41.89	£50.27
	700	76451107	501	1710	£27.91	£33.49	-	-	-	-	-	76452207	960	3276	£45.61	£54.73
	800	76451108	573	1954	£31.90	£38.28	-	-	-	-	-	76452208	1097	3744	£48.41	£58.09
	900	76451109	644	2199	£35.89	£43.07	-	-	-	-	-	76452209	1234	4212	£52.37	£62.84
	1000	76451110	716	2443	£39.87	£47.84	-	-	-	-	-	76452210	1371	4679	£55.85	£67.02
	1100	76451111	788	2687	£43.86	£52.63	-	-	-	-	-	76452211	1508	5147	£61.45	£73.74
	1200	76451112	859	2932	£47.84	£57.41	-	-	-	-	-	76452212	1645	5614	£67.03	£80.44
	1400	76451114	1002	3420	£55.81	£66.97	-	-	-	-	-	76452214	1920	6550	£86.33	£103.60
	1600	76451116	1146	3909	£63.79	£76.55	-	-	-	-	-	76452216	2195	7488	£98.66	£118.39
600	1800	76451118	1289	4397	£77.92	£93.50	-	-	-	-	-	76452218	2469	8423	£111.02	£133.22
	400	76601104	369	1260	£22.37	£26.84	76602104	538	1836	£29.87	£35.84	76602204	693	2365	£35.55	£42.66
	500	76601105	462	1575	£24.85	£29.82	76602105	673	2297	£34.81	£41.77	76602205	866	2956	£41.26	£49.51
	600	76601106	554	1890	£26.10	£31.32	76602106	807	2754	£38.73	£46.48	76602206	1039	3546	£45.70	£54.84
	700	76601107	646	2204	£30.45	£36.54	76602107	942	3215	£41.62	£49.94	76602207	1212	4137	£49.76	£59.71
	800	76601108	738	2519	£34.80	£41.76	76602108	1076	3672	£47.57	£57.08	76602208	1386	4730	£52.80	£63.36
	900	76601109	831	2834	£39.14	£46.97	76602109	1211	4133	£53.52	£64.22	76602209	1559	5321	£57.11	£68.53
	1000	76601110	923	3149	£43.49	£52.19	76602110	1345	4590	£59.47	£71.36	76602210	1732	5911	£60.93	£73.12
	1100	76601111	1015	3464	£47.84	£57.41	76602111	1480	5051	£65.42	£78.50	76602211	1906	6502	£67.03	£80.44
	1200	76601112	1108	3779	£52.18	£62.62	76602112	1615	5509	£71.36	£85.63	76602212	2078	7092	£73.11	£87.73
	1400	76601114	1292	4409	£60.89	£73.07	76602114	1884	6427	£83.26	£99.91	76602214	2426	8277	£94.19	£113.03
	1600	76601116	1477	5039	£69.60	£83.52	76602116	2153	7345	£95.16	£114.19	76602216	2772	9457	£107.64	£129.17
700	1800	76601118	1661	5669	£85.00	£102.00	-	-	-	-	-	76602218	3119	10642	£121.09	£145.31
	2000	-	-	-	-	-	-	-	-	-	-	76602220	3465	11823	£185.33	£222.40
	400	76701104	421	1436	£30.57	£36.68	-	-	-	-	-	76702204	784	2676	£48.58	£58.30
	500	76701105	526	1795	£33.97	£40.76	-	-	-	-	-	76702205	981	3348	£56.38	£67.66
	600	76701106	631	2154	£35.66	£42.79	-	-	-	-	-	76702206	1177	4017	£62.45	£74.94
	700	76701107	736	2513	£41.61	£49.93	-	-	-	-	-	76702207	1373	4686	£68.00	£81.60
	800	76701108	842	2872	£47.56	£57.07	-	-	-	-	-	76702208	1569	5355	£72.16	£86.59
	900	76701109	947	3230	£53.50	£64.20	-	-	-	-	-	76702209	1765	6024	£78.07	£93.68
	1000	76701110	1052	3589	£59.45	£71.34	-	-	-	-	-	76702210	1962	6693	£83.27	£99.92
	1100	76701111	1157	3948	£65.38	£78.46	-	-	-	-	-	76702211	2158	7362	£91.59	£109.91
	1200	76701112	1262	4307	£71.34	£85.61	-	-	-	-	-	76702212	2354	8031	£99.92	£119.90
	1400	76701114	1473	5025	£83.23	£99.88	-	-	-	-	-	76702214	2746	9369	£128.72	£154.46
	1600	76701116	1683	5743	£95.11	£114.13	-	-	-	-	-	76702216	3139	10710	£147.11	£176.53
	1800	76701118	1894	6461	£116.18	£139.42	-	-	-	-	-	76702218	3531	12048	£165.50	£198.60

$\Delta t50$ is the UK's industry standard for heating outputs, which has an operating temperature of 75/65/20°C. If you have a low temperature heat source you may wish to consider $\Delta t40$ or $\Delta t30$ output (see your installer or system designer or download from www.stelrad.com).


For EN442 data, technical and installation information please visit our website: www.stelrad.com and search product downloads.

UPGRADE TO A
VITA DECO
FROM

£14.07*

*based on a 300 x 500 K1





Save money & energy. Highly efficient energy saving radiator saving up to 10.5% on fuel bills, at a cost-effective price, that's the Stelrad Vita Eco.

50 Δt

(75/65/20°C)

K1



Height mm	Length mm	Straight 10mm	Angle 10mm	Straight 15mm	Angle 15mm	Heat output Watts	Heat output Btu/h	Price excl VAT	Price incl VAT
300	1000	843111010S	843111010A	843111015S	843111015A	509	1737	£87.20	£104.64
500	400	845110410S	845110410A	845110415S	845110415A	333	1136	£66.05	£79.26
	500	845110510S	845110510A	845110515S	845110515A	417	1423	£69.14	£82.97
	600	845110610S	845110610A	845110615S	845110615A	500	1706	£70.70	£84.84
600	400	846110410S	846110410A	846110415S	846110415A	392	1338	£71.62	£85.94
	500	846110510S	846110510A	846110515S	846110515A	490	1672	£75.35	£90.42
	600	846110610S	846110610A	846110615S	846110615A	588	2006	£77.21	£92.65

K2



Height mm	Length mm	Straight 10mm	Angle 10mm	Straight 15mm	Angle 15mm	Heat output Watts	Heat output Btu/h	Price excl VAT	Price incl VAT
300	1000	843221010S	843221010A	843221015S	843221015A	933	3183	£116.13	£139.36
500	400	845220410S	845220410A	845220415S	845220415A	560	1911	£82.48	£98.98
	500	845220510S	845220510A	845220515S	845220515A	701	2392	£89.60	£107.52
	600	845220610S	845220610A	845220615S	845220615A	841	2869	£95.15	£114.18
	700	845220710S	845220710A	845220715S	845220715A	981	3347	£100.22	£120.26
	800	845220810S	845220810A	845220815S	845220815A	1121	3825	£104.00	£124.80
	900	845220910S	845220910A	845220915S	845220915A	1261	4303	£109.39	£131.27
	1000	845221010S	845221010A	845221015S	845221015A	1401	4780	£114.14	£136.97
	1200	845221210S	845221210A	845221215S	845221215A	1681	5736	£129.35	£155.22
	1400	845221410S	845221410A	845221415S	845221415A	1961	6691	£155.63	£186.76
	1600	845221610S	845221610A	845221615S	845221615A	2242	7650	£172.43	£206.92
	1800	845221810S	845221810A	845221815S	845221815A	2522	8605	£189.21	£227.05
	2000	845222010S	845222010A	845222015S	845222015A	2802	9560	£269.34	£323.21
600	400	846220410S	846220410A	846220415S	846220415A	647	2208	£91.35	£109.62
	500	846220510S	846220510A	846220515S	846220515A	809	2760	£99.90	£119.88
	600	846220610S	846220610A	846220615S	846220615A	970	3310	£106.53	£127.84
	700	846220710S	846220710A	846220715S	846220715A	1132	3862	£112.63	£135.16
	800	846220810S	846220810A	846220815S	846220815A	1294	4415	£117.21	£140.65
	900	846220910S	846220910A	846220915S	846220915A	1455	4964	£123.65	£148.38
	1000	846221010S	846221010A	846221015S	846221015A	1617	5517	£129.35	£155.22
	1100	846221110S	846221110A	846221115S	846221115A	1779	6070	£138.46	£166.15
	1200	846221210S	846221210A	846221215S	846221215A	1940	6619	£147.59	£177.11
	1400	846221410S	846221410A	846221415S	846221415A	2264	7725	£179.14	£214.97
	1600	846221610S	846221610A	846221615S	846221615A	2587	8827	£199.27	£239.12
	1800	846221810S	846221810A	846221815S	846221815A	2911	9932	£219.42	£263.30
	2000	846222010S	846222010A	846222015S	846222015A	3234	11034	£315.58	£378.70

$\Delta t50$ is the UK's industry standard for heating outputs, which has an operating temperature of 75/65/20°C. If you have a low temperature heat source you may wish to consider $\Delta t40$ or $\Delta t30$ output (see your installer or system designer or download from www.stelrad.com).

For EN442 data, technical and installation information please visit our website: www.stelrad.com and search product downloads.

Accessories included are:

- TRV head
- Integral Thermostatic Valve
- Piping connections with either 10mm or 15mm couplings
- Hydro connection block with straight or angled piping options
- Hydro block also includes drain off function





The Stelrad Vita Deco's sleek and elegant lines make this an easy move to designer radiators. With a premium exterior and Stelrad quality, it's a clear choice for the interior-conscious homeowner.

50 Δt

(75/65/20°C)

K1



K2



Height mm	Length mm	Stelrad UIN	Heat output Watts	Heat output Btu/h	Price excl VAT	Price incl VAT	Stelrad UIN	Heat output Watts	Heat output Btu/h	Price excl VAT	Price incl VAT
300	500	82301105	235	802	£34.15	£40.98	82302205	465	1587	£50.90	£61.08
	1000	82301110	469	1601	£55.73	£66.88	82302210	929	3171	£88.57	£106.28
	1500	82301115	704	2401	£79.26	£95.11	82302215	1394	4756	£136.06	£163.27
450	400	82451104	268	915	£34.85	£41.82	82452204	500	1705	£55.39	£66.47
	600	82451106	403	1376	£40.67	£48.80	82452206	750	2559	£71.22	£85.46
	800	82451108	537	1834	£54.22	£65.06	82452208	999	3410	£82.28	£98.74
	1000	82451110	672	2292	£67.77	£81.32	82452210	1249	4262	£94.93	£113.92
	1200	82451112	806	2751	£81.32	£97.58	82452212	1499	5114	£113.94	£136.73
	1400	82451114	941	3209	£94.90	£113.88	82452214	1749	5967	£146.78	£176.14
	1600	82451116	1075	3668	£108.45	£130.14	82452216	1999	6819	£167.74	£201.29
	1800	82451118	1209	4126	£132.46	£158.95	82452218	2248	7672	£188.72	£226.46
600	400	82601104	348	1188	£38.01	£45.61	82602204	640	2184	£60.43	£72.52
	600	82601106	522	1782	£44.37	£53.24	82602206	961	3280	£77.68	£93.22
	800	82601108	696	2375	£59.15	£70.98	82602208	1281	4372	£89.78	£107.74
	1000	82601110	870	2969	£73.94	£88.73	82602210	1601	5464	£103.59	£124.31
	1200	82601112	1044	3563	£88.72	£106.46	82602212	1921	6556	£124.29	£149.15
	1400	82601114	1218	4157	£103.51	£124.21	82602214	2242	7649	£160.12	£192.14
	1600	82601116	1392	4751	£118.30	£141.96	82602216	2563	8744	£183.00	£219.60
	1800	82601118	1566	5345	£144.49	£173.39	82602218	2883	9836	£205.85	£247.02
	2000	82601120	1740	5939	£148.22	£177.86	82602220	3203	10928	£315.07	£378.08

$\Delta t50$ is the UK's industry standard for heating outputs, which has an operating temperature of 75/65/20°C. If you have a low temperature heat source you may wish to consider $\Delta t40$ or $\Delta t30$ output (see your installer or system designer or download from www.stelrad.com).

For EN442 data, technical and installation information please visit our website: www.stelrad.com and search product downloads.

See how a Stelrad Vita Deco is manufactured at www.stelrad.com

UPGRADE TO A
VITA PLAN
FROM

£17.06*

*based on a 300 x 500 K1





NEW VITA DECO CONCEPT



Designer looks with a dash of extra style. The Vita Deco Concept in Anthracite Grey adds cool contemporary colour to sleek and elegant lines to make a smart fashion statement that'll complement any choice of décor.

50 Δt

(75/65/20°C)

K1



K2



Height mm	Length mm	Stelrad UIN	Heat output Watts	Heat output Btu/h	Price excl VAT	Price incl VAT	Stelrad UIN	Heat output Watts	Heat output Btu/h	Price excl VAT	Price incl VAT
600	400	22601104	348	1187	£108.01	£129.61	22602204	640	2184	£130.43	£156.52
	600	22601106	522	1781	£114.37	£137.24	22602206	961	3279	£147.68	£177.22
	800	22601108	696	2375	£129.15	£154.98	22602208	1281	4371	£159.78	£191.74
	1000	22601110	870	2968	£143.94	£172.73	22602210	1601	5463	£173.59	£208.31
	1200	22601112	1044	3562	£158.72	£190.46	22602212	1921	6554	£194.29	£233.15
	1400	22601114	1218	4156	£173.51	£208.21	22602214	2241	7646	£230.12	£276.14

$\Delta t50$ is the UK's industry standard for heating outputs, which has an operating temperature of 75/65/20°C. If you have a low temperature heat source you may wish to consider $\Delta t40$ or $\Delta t30$ output (see your installer or system designer or download from www.stelrad.com).

For EN442 data, technical and installation information please visit our website: www.stelrad.com and search product downloads.

VITA DECO CONCEPT COMES IN RAL: A7016 ANTHRACITE GREY AND IS AVAILABLE FROM STOCK.



A7016 Anthracite Grey



A minimal, stylish design for an understated, flat finish, the Stelrad Vita Plan is simplicity at its best. Available in a wide range of heights and widths, the Vita Plan can be tailored to work for any space.

50 Δt

(75/65/20°C)

K1



K2



Height mm	Length mm	Stelrad UIN	Heat output Watts	Heat output Btu/h	Price excl VAT	Price incl VAT	Stelrad UIN	Heat output Watts	Heat output Btu/h	Price excl VAT	Price incl VAT
300	500	81301105	235	802	£51.21	£61.45	81302205	465	1587	£76.34	£91.61
	1000	81301110	469	1601	£83.58	£100.30	81302210	929	3171	£132.85	£159.42
	1500	81301115	704	2401	£118.87	£142.64	81302215	1394	4756	£204.10	£244.92
450	400	81451104	268	915	£52.29	£62.75	81452204	500	1705	£83.10	£99.72
	600	81451106	403	1376	£61.01	£73.21	81452206	750	2559	£106.81	£128.17
	800	81451108	537	1834	£81.33	£97.60	81452208	999	3410	£123.42	£148.10
	1000	81451110	672	2292	£101.67	£122.00	81452210	1249	4262	£142.41	£170.89
	1200	81451112	806	2751	£122.00	£146.40	81452212	1499	5114	£170.91	£205.09
	1400	81451114	941	3209	£142.35	£170.82	81452214	1749	5967	£220.15	£264.18
	1600	81451116	1075	3668	£162.68	£195.22	81452216	1999	6819	£251.60	£301.92
	1800	81451118	1209	4126	£198.69	£238.43	81452218	2248	7672	£283.08	£339.70
600	400	81601104	348	1188	£57.02	£68.42	81602204	640	2184	£90.64	£108.77
	600	81601106	522	1782	£66.55	£79.86	81602206	961	3280	£116.51	£139.81
	800	81601108	696	2375	£88.72	£106.46	81602208	1281	4372	£134.67	£161.60
	1000	81601110	870	2969	£110.91	£133.09	81602210	1601	5464	£155.38	£186.46
	1200	81601112	1044	3563	£133.07	£159.68	81602212	1921	6556	£186.44	£223.73
	1400	81601114	1218	4157	£155.28	£186.34	81602214	2242	7649	£240.18	£288.22
	1600	81601116	1392	4751	£177.46	£212.95	81602216	2563	8744	£274.48	£329.38
	1800	81601118	1566	5345	£216.74	£260.09	81602218	2883	9836	£308.78	£370.54
	2000	81601120	1740	5939	£222.32	£266.78	81602220	3203	10928	£472.59	£567.11

$\Delta t50$ is the UK's industry standard for heating outputs, which has an operating temperature of 75/65/20°C. If you have a low temperature heat source you may wish to consider $\Delta t40$ or $\Delta t30$ output (see your installer or system designer or download from www.stelrad.com).

For EN442 data, technical and installation information please visit our website: www.stelrad.com and search product downloads.





NEW VITA PLAN CONCEPT



The understated, minimalist design of the simply stunning Vita Plan Concept is complemented by the grace and elegance of its Anthracite Grey finish – with a range of heights and widths to perfectly match any space.

50 Δt

(75/65/20°C)

K1



K2



Height mm	Length mm	Stelrad UIN	Heat output Watts	Heat output Btu/h	Price excl VAT	Price incl VAT	Stelrad UIN	Heat output Watts	Heat output Btu/h	Price excl VAT	Price incl VAT
600	400	21601104	364	1242	£127.02	£152.42	21602204	654	2231	£160.64	£192.77
	600	21601106	547	1866	£136.55	£163.86	21602206	980	3344	£186.51	£223.81
	800	21601108	729	2487	£158.72	£190.46	21602208	1307	4459	£204.67	£245.60
	1000	21601110	911	3108	£180.91	£217.09	21602210	1634	5575	£225.38	£270.46
	1200	21601112	1093	3729	£203.07	£243.68	21602212	1961	6691	£256.44	£307.73
	1400	21601114	1275	4350	£225.28	£270.34	21602214	2288	7807	£310.18	£372.22

$\Delta t50$ is the UK's industry standard for heating outputs, which has an operating temperature of 75/65/20°C. If you have a low temperature heat source you may wish to consider $\Delta t40$ or $\Delta t30$ output (see your installer or system designer or download from www.stelrad.com).

For EN442 data, technical and installation information please visit our website: www.stelrad.com and search product downloads.

VITA PLAN CONCEPT COMES IN RAL: A7016 ANTHRACITE GREY AND IS AVAILABLE FROM STOCK.



A7016 Anthracite Grey



VITA COLUMN HORIZONTAL

Stelrad Vita Series

Perfect designs for both contemporary and traditional interiors, the Vita Column is available in a range of sizes that will see these beautiful radiators matching virtually any space in the home.

50 Δt

(75/65/20°C)

Height mm	Length mm	Elements	Columns	Stelrad UIN	Heat output Watts	Heat output Btu/hr	Price excl VAT	Price incl VAT
300	858	18	3	463002	576	1966	£190.69	£228.83
	1042	22	3	463003	704	2403	£222.48	£266.98
500	628	13	2	463012	499	1703	£127.13	£152.56
	858	18	2	463013	691	2358	£158.92	£190.70
	628	13	3	463017	671	2290	£139.85	£167.82
	858	18	3	463018	929	3171	£171.62	£205.94
	1042	22	3	463019	1135	3874	£235.19	£282.23
	1272	27	3	463020	1393	4754	£311.47	£373.76
600	628	13	2	463028	589	2010	£139.85	£167.82
	858	18	2	463029	815	2782	£158.92	£190.70
	1042	22	2	463030	997	3403	£203.41	£244.09
	1272	27	2	463031	1223	4174	£260.61	£312.73
	628	13	3	463033	792	2703	£152.55	£183.06
	858	18	3	463034	1096	3741	£177.98	£213.58
	1042	22	3	463035	1340	4573	£203.41	£244.09
	1272	27	3	463036	1644	5611	£273.33	£328.00
	628	13	4	463040	1037	3539	£158.92	£190.70
	858	18	4	463041	1436	4901	£203.41	£244.09
	1042	22	4	463042	1756	5993	£260.61	£312.73
	1272	27	4	463043	2155	7355	£311.47	£373.76

$\Delta t50$ is the UK's industry standard for heating outputs, which has an operating temperature of 75/65/20°C. If you have a low temperature heat source you may wish to consider $\Delta t40$ or $\Delta t30$ output (see your installer or system designer or download from www.stelrad.com).

Due to production tolerances, the length of the product and therefore the tap centres could contain a variation of +/- 1.5% of the overall stated length.

For EN442 data, technical and installation information please visit our website: www.stelrad.com and search product downloads.

Floor mounting brackets are available, for more information see page 40.

UPGRADE TO A
VITA COLUMN
CONCEPT FROM

£75.25*

*based on 600 x 1272 x 4





VITA COLUMN CONCEPT

Stelrad Vita Series

Add a little colour to your home with the new Anthracite Grey radiator, it's the ideal choice if you want to be 'IN' fashion this season!
Available in a range of sizes to complement every room.

50 Δt

(75/65/20°C)

Height mm	Length mm	Elements	Columns	Stelrad UIN	Heat output Watts	Heat output Btu/hr	Price excl VAT	Price incl VAT
600	628	13	3	463133	792	2703	£227.80	£273.36
	858	18	3	463134	1096	3741	£253.23	£303.88
	1042	22	3	463135	1340	4573	£278.66	£334.39
	1272	27	3	463136	1644	5611	£348.58	£418.30
	628	13	4	463140	1037	3538	£234.17	£281.00
	858	18	4	463141	1436	4900	£278.66	£334.39
	1042	22	4	463142	1756	5990	£335.86	£403.03
	1272	27	4	463143	2155	7353	£386.72	£464.06

$\Delta t50$ is the UK's industry standard for heating outputs, which has an operating temperature of 75/65/20°C. If you have a low temperature heat source you may wish to consider $\Delta t40$ or $\Delta t30$ output (see your installer or system designer or download from www.stelrad.com).

Due to production tolerances, the length of the product and therefore the tap centres could contain a variation of +/- 1.5% of the overall stated length.

For EN442 data, technical and installation information please visit our website: www.stelrad.com and search product downloads.

Floor mounting brackets are available, for more information see page 40.

VITA COLUMN CONCEPT COMES IN RAL: A7016 ANTHRACITE GREY AND IS AVAILABLE FROM STOCK.



A7016 Anthracite Grey



VITA COLUMN VERTICAL

 **Stelrad** Vita Series

The Vita Column Vertical provides a real style statement. Ideal for use in any minimalist project or where wall space is restricted.

50 Δt


(75/65/20°C)

Height mm	Length mm	Elements	Columns	Stelrad UIN	Heat output Watts	Heat output Btu/hr	Price excl VAT	Price incl VAT
1800	444	9	2	463055	1116	3809	£177.98	£213.58
2000	444	9	2	463057	1242	4239	£177.98	£213.58

$\Delta t50$ is the UK's industry standard for heating outputs, which has an operating temperature of 75/65/20°C. If you have a low temperature heat source you may wish to consider $\Delta t40$ or $\Delta t30$ output (see your installer or system designer or download from www.stelrad.com).

Due to production tolerances, the length of the product and therefore the tap centres could contain a variation of +/- 1.5% of the overall stated length.

For EN442 data, technical and installation information please visit our website: www.stelrad.com and search product downloads.





The Stelrad Vita Ultra radiator is ideal for those who are passionate about colour. Available in a range of bespoke finishes and optional towel rails, the Stelrad Vita Ultra is also perfectly suited for bathrooms and kitchens.

50 Δt

(75/65/20°C)

P+



K2



Front Panel Height mm	Emitter Height mm	Front Panel Length mm	Emitter Length mm	Stelrad UIN	Heat output Watts	Btu/h	Price excl VAT	Price incl VAT	Stelrad UIN	Heat output Watts	Btu/h	Price excl VAT	Price incl VAT
545	500	470	400	-	-	-	-	-	83502204	410	1398	£148.10	£177.72
		670	600	-	-	-	-	-	83502206	614	2096	£190.37	£228.44
		870	800	-	-	-	-	-	83502208	819	2795	£219.99	£263.99
		1070	1000	-	-	-	-	-	83502210	1024	3494	£253.88	£304.66
		1270	1200	-	-	-	-	-	83502212	1229	4193	£304.67	£365.60
		1470	1400	-	-	-	-	-	83502214	1434	4892	£392.45	£470.94
		1670	1600	-	-	-	-	-	83502216	1638	5590	£448.51	£538.21
		1870	1800	-	-	-	-	-	83502218	1843	6289	£504.57	£605.48
645	600	2070	2000	-	-	-	-	-	83502220	2048	6988	£772.18	£926.62
		470	400	83602104	474	1616	£149.38	£179.26	83602204	640	2184	£177.72	£213.26
		670	600	83602106	710	2424	£193.62	£232.34	83602206	961	3280	£228.46	£274.15
		870	800	83602108	947	3232	£237.87	£285.44	83602208	1281	4372	£264.05	£316.86
		1070	1000	83602110	1184	4040	£297.36	£356.83	83602210	1601	5464	£304.67	£365.60
		1270	1200	83602112	1421	4848	£356.78	£428.14	83602212	1921	6556	£365.55	£438.66
		1470	1400	83602114	1658	5656	£416.29	£499.55	83602214	2242	7649	£470.96	£565.15
		1670	1600	83602116	1894	6464	£475.78	£570.94	83602216	2563	8744	£538.21	£645.85
		1870	1800	83602118	2131	7272	£643.59	£772.31	83602218	2883	9836	£605.45	£726.54
		2070	2000	83602120	2368	8080	£707.22	£848.66	83602220	3203	10928	£926.64	£1,111.97

Δt 50 is the UK's industry standard for heating outputs, which has an operating temperature of 75/65/20°C. If you have a low temperature heat source you may wish to consider Δt 40 or Δt 30 output (see your installer or system designer or download from www.stelrad.com).

For EN442 data, technical and installation information please visit our website: www.stelrad.com and search product downloads.

COLOUR OPTIONS



Please refer to page 41 for colour options.

All colour radiators have up to an 8 week lead time, and when a coloured radiator or radiators have been ordered they cannot be cancelled or returned.

*Please note: Only the front fascia panel can be coloured. Emitter, top grille and side panels are black.

VITA ULTRA TOWEL RAIL BAR

Towel Rail Bar	Stelrad UIN	Price excl VAT	Price incl VAT
400mm wide	83100004	£70.98	£85.18
600mm wide	83100006	£83.62	£100.34
800mm wide	83100008	£96.41	£115.69
1000mm wide	83100010	£107.84	£129.41

Towel rail bar is 120mm wider than actual radiator.

For more information visit www.stelrad.com

OPTIONAL TOWEL RAIL CAN BE ADDED



A2003 Pastel Orange





VITA COMPACT VERTICAL


Stelrad Vita Series

A compact vertical with a compact price to match, the Vita Compact Vertical is a smart and stylish choice for a smaller space.

50 Δt

(75/65/20°C)

K2



Height mm	Length mm	Sections	Stelrad UIN	Watts	Heat output Btu/h	Price excl VAT	Price incl VAT
1800	400	12	89121418	1584	5405	£174.23	£209.08
	500	15	89122518	1980	6756	£191.53	£229.84
	600	18	89122618	2376	8107	£209.65	£251.58

$\Delta t50$ is the UK's industry standard for heating outputs, which has an operating temperature of 75/65/20°C. If you have a low temperature heat source you may wish to consider $\Delta t40$ or $\Delta t30$ output (see your installer or system designer or download from www.stelrad.com).

For EN442 data, technical and installation information please visit our website: www.stelrad.com and search product downloads.

CENTRE TAP TRV NOW AVAILABLE

Stelrad UIN	Description	Price excl VAT	Price incl VAT
145313	Straight White	£50.00	£60.00
145314	Straight Chrome	£50.00	£60.00
145315	Angled Left White	£50.00	£60.00
145316	Angled Left Chrome	£50.00	£60.00
145317	Angled Right White	£50.00	£60.00
145318	Angled Right Chrome	£50.00	£60.00



UPGRADE TO A
VITA DECO
VERTICAL FROM

£66.90*

*based on 1800 x 400 K2





VITA DECO VERTICAL


Stelrad Vita Series

Designer style hits new heights with this sleek and elegant Vita Deco Vertical - the perfect premium quality choice for modern homes.

50 Δt

(75/65/20°C)

K2



Height mm	Length mm	Sections	Stelrad UIN	Watts	Heat output Btu/h	Price excl VAT	Price incl VAT
1800	400	12	89222418	1476	5036	£241.13	£289.36
	500	15	89222518	1845	6295	£264.97	£317.96
	600	18	89222618	2214	7554	£290.17	£348.20

Δt 50 is the UK's industry standard for heating outputs, which has an operating temperature of 75/65/20°C. If you have a low temperature heat source you may wish to consider Δt 40 or Δt 30 output (see your installer or system designer or download from www.stelrad.com).

For EN442 data, technical and installation information please visit our website: www.stelrad.com and search product downloads.

CENTRE TAP TRV NOW AVAILABLE

Stelrad UIN	Description	Price excl VAT	Price incl VAT
145313	Straight White	£50.00	£60.00
145314	Straight Chrome	£50.00	£60.00
145315	Angled Left White	£50.00	£60.00
145316	Angled Left Chrome	£50.00	£60.00
145317	Angled Right White	£50.00	£60.00
145318	Angled Right Chrome	£50.00	£60.00



UPGRADE TO A
VITA PLAN
VERTICAL FROM

£18.78*

*based on 1800 x 400 K2





VITA PLAN VERTICAL


Stelrad Vita Series

Minimalist styling with an understated flat finish, simply perfect. The Vita Plan Vertical will complement any space.

50 Δt

(75/65/20°C)

K2




Height mm	Length mm	Sections	Stelrad UIN	Watts	Heat output Btu/h	Price excl VAT	Price incl VAT
1800	400	12	89322418	1476	5036	£259.91	£311.89
	500	15	89322518	1845	6295	£288.20	£345.84
	600	18	89322618	2214	7554	£315.42	£378.50

Δt 50 is the UK's industry standard for heating outputs, which has an operating temperature of 75/65/20°C. If you have a low temperature heat source you may wish to consider Δt 40 or Δt 30 output (see your installer or system designer or download from www.stelrad.com).

For EN442 data, technical and installation information please visit our website: www.stelrad.com and search product downloads.

CENTRE TAP TRV NOW AVAILABLE

Stelrad UIN	Description	Price excl VAT	Price incl VAT
145313	Straight White	£50.00	£60.00
145314	Straight Chrome	£50.00	£60.00
145315	Angled Left White	£50.00	£60.00
145316	Angled Left Chrome	£50.00	£60.00
145317	Angled Right White	£50.00	£60.00
145318	Angled Right Chrome	£50.00	£60.00





VITA COMPACT K3


Stelrad Vita Series

The Vita Compact K3 provides a solution to homes needing additional heat from low energy systems. It's a stylish Compact K3 with a compact price to match.

50 Δt

(75/65/20°C)

K3



600	Height mm	Length mm	Sections	Stelrad UIN	Watts	Heat output Btu/hr	Price excl VAT	Price incl VAT
		400	12	76603304	956	3262	£83.54	£100.25
		500	15	76603305	1195	4077	£96.94	£116.33
		600	18	76603306	1433	4889	£107.38	£128.86
		700	21	76603307	1672	5705	£116.94	£140.33
		800	24	76603308	1911	6520	£124.11	£148.93
		900	27	76603309	2150	7336	£134.24	£161.09
		1000	30	76603310	2389	8151	£143.20	£171.84
		1100	33	76603311	2628	8967	£157.50	£189.00
		1200	36	76603312	2867	9782	£171.82	£206.18
		1400	42	76603314	3345	11413	£221.34	£265.61

$\Delta t50$ is the UK's industry standard for heating outputs, which has an operating temperature of 75/65/20°C. If you have a low temperature heat source you may wish to consider $\Delta t40$ or $\Delta t30$ output (see your installer or system designer or download from www.stelrad.com).

For EN442 data, technical and installation information please visit our website: www.stelrad.com and search product downloads.



TECHNICAL INFORMATION

EXTRA PERFORMANCE TO GUARANTEED STANDARDS

Stelrad combine the most sophisticated production resources in Europe with substantial investment in testing and verification of performance data - which has helped us create high output radiators delivering heating performance that exceeds expectation.

MORE CHOICE FOR APPLICATION FLEXIBILITY

A range of models provide extra sizing flexibility and covers a multitude of application requirements, including those where there are installation difficulties or where wall space is at a premium.

SUPERB QUALITY FROM DESIGN TO INSTALLATION

Our radiators are specifically designed to minimise any movement, providing a tight, professional fit that will remain in place, even after storage, transit and installation. Convectors are precision welded directly onto the waterways for greater efficiency and economy, with flexible connection options for the highest of commercial and domestic application specifications.

Stelrad radiators are manufactured under ISO 9001 quality systems in the UK and every one comes wrapped in robust, practical packaging that will keep the product pristine, right through to installation. This clever packaging design allows installation to be completed prior to removal.

TEMPERATURE TABLE

For systems not operating at Δt_{50} the factors in the table below should be applied. The output of a given radiator can be obtained by multiplying the quoted Δt_{50} output by the operating factor. Conversely, to derive a non Δt_{50} output, divide the heat output required by the relevant operation factor. This ' Δt_{50} equivalent output' can then be used to select a radiator from the standard tables.

°C		°F	
Δt	Operating Factor	Δt	Operating Factor
5	0.050	10	0.057
10	0.123	20	0.142
15	0.209	30	0.240
20	0.304	40	0.348
25	0.406	50	0.466
30	0.515	60	0.590
35	0.629	70	0.721
40	0.748	80	0.858
45	0.872	90	1.000
50	1.000	100	1.147
55	1.132	110	1.298
60	1.267	120	1.454
65	1.406	130	1.613
70	1.549	150	1.776
75	1.694	-	-

Example: Exact output at Δt_{50} = 2000 Btu/hr
Output at Δt_{30} = 2000 x 0.515 = 1030 Btu/hr
Average coefficient of 130 is used in the example above

APPLICATIONS

Stelrad radiators are suitable for two pipe installations. For single pipe applications, it is advisable to use diversion tees in the pipework, as this will assist in obtaining design performance from the radiators. Although our radiators are suitable for Microbore pipework, the back tappings make them unsuitable for twin entry valves.

INSTALLATION

Everything required for installation can be found within each radiator's packaging. Brackets are of a strong design, with open top and deep slots, which facilitate easy and secure installation. Plastic inserts seat the radiator precisely on the bracket minimising expansion and contraction noise.

The neat nickel-plated plug and vent provide a watertight joint, whilst complementing the superior finish.

To facilitate easy one off replacement, nickel-plated brass extension pieces are also available, complete with sealing washer, in 20mm, 30mm and 40mm options. Recommended height from the floor to the base of the radiator is 150mm minimum. This allows adequate airflow when the radiator is placed on the bracket.

CAUTION

When designing for domestic systems we recommend that the Stelrad radiators are only used in heating systems complying with British Standard Code of Practice for Central Heating for Domestic Premises BS EN 12828:2003 and BS EN 12831:2003.

Single feed, direct cylinders are not recommended as should interchange of water occur, fresh aerated water would enter the heating system, resulting in corrosion.

WATER TREATMENT

On completion of the installation, the system should be properly flushed and filled in accordance with the British Standard Code of Practice BS 7593:2006 for the Treatment of Water in Domestic Hot Water Central Heating Systems, Part L of Building Regulations and Good Practice Guidance for Scotland.

After installation of a new Stelrad radiator the central heating system should be cleaned and flushed with cleaner to remove existing contaminants, flux residue and other installation debris which, if left, can cause damage to the new radiator. Afterwards, treat the system with an inhibitor to ensure long term protection against corrosion and limescale.

A comprehensive range of quality chemicals including inhibitors, cleaners, leak sealers and noise reducers that protect and maintain central heating systems can be obtained from:

Sentinel Performance Solutions Ltd

7650 Daresbury Park,
Warrington,
Cheshire, WA4 4BS,
www.sentinelprotects.com

Fernox

Unit 2 Genesis Business Park,
Albert Drive, Sheerwater,
Woking, Surrey,
GU21 5RW
www.fernox.com

TWO COAT PAINT PROCESS

Each Stelrad radiator is subjected to a multi stage cleaning process before the paint is applied. This involves several rinsing stages, including an iron phosphate and demineralisation rinse. The first coat of paint is applied by electrophoresis and the radiator is then stoved and cooled. The second powder coat is applied and the radiator goes through a final curing stage. It is then allowed to cool, prior to packaging.



STELRAD'S ADVANCED
HEATLOSS CALCULATOR

The Stelrad STARS Basic & Advanced Heatloss Calculator contains an inbuilt U value calculator.

Save time and effort by using the Stelrad STARS program - the perfect solution for accurate sizing and design flexibility.

Basic: <http://starsapp.co.uk/basic-heat-loss-calculator/>

Advanced: <http://app.starsapp.co.uk/login>

For further information and advice call 0844 543 6200.

ACCESSORIES

VITA ULTRA TOWEL RAIL BAR



400mm wide UIN 83100004
600mm wide UIN 83100006
800mm wide UIN 83100008
1000mm wide UIN 83100010

Available for the Vita Ultra only.

COLUMN FLOOR MOUNTING BRACKETS



UIN 148137 White
UIN 148138 Anthracite Grey
(sold in pairs)

Available for the Vita Column
in White.

Available for the Vita Column
Concept in Anthracite Grey
RAL: A7016.

CENTRE TAP TRV



Available for the Vita Compact Vertical,
Vita Deco Vertical and Vita Plan Vertical.

Straight White UIN 145313
Straight Chrome UIN 145314
Angled Left White UIN 145315
Angled Left Chrome UIN 145316
Angled Right White UIN 145317
Angled Right Chrome UIN 145318

FULL HEIGHT & ANTI-LIFT BRACKETS



300mm wide UIN 9191
400mm wide UIN 9192
450mm wide UIN 9193
500mm wide UIN 9194
600mm wide UIN 9195
700mm wide UIN 9196

Full height and anti-lift brackets
are available for a secure fixing
in commercial applications.

Available for all the products
within the Vita Series.

FLOOR MOUNTING BRACKETS



300mm UIN 9179
450mm UIN 9180
500mm UIN 9197
600mm UIN 9181
700mm UIN 9182
(sold single)

Floor standing brackets provide a
practical solution for standard models,
where situations, such as tiled walls,
create installation difficulties.

Available for Vita Value, Vita Compact,
Vita Deco, Vita Plan & Vita Eco.

PRESET KEY



Part of the hardware pack.
UIN no. 9222

Available for the Vita Eco only.

EXTENSION PIECES



Optional extension pieces
for easy replacement.

20mm UIN 9176
30mm UIN 9177
40mm UIN 9178

Available for all the products
within the Vita Series.

3/4" VALVE ADAPTOR



Optional 3/4" valve adaptor for
connection without performance
reduction.

UIN 140117

Available for all the products
in the Vita Series.

PACKAGING



Robust packaging protects the product
right through to hand over. Installation
instructions can be found on the reverse
of the identification label.

Example packaging above, the packaging
for each radiator will vary.

ALL FIXINGS

Air Vent &
Blanking Plug



Saddle Strips

Branded Clips

All fixing requirements are complete
within the packaging. Content will vary
depending on product.

COLOUR GUIDE


A shade for every room, for every interior. Opt for warm elegance, baroque ambience or modern minimalism.

Colour information for the Vita Ultra* & Vita Concept radiators****

Natural Colours



NT110
Papyrus white



NT120
Pearl white



NT130
Champagne



NT140
Beige




NT150
Beige grey



NT160
Pebble grey



NT170
Quartz grey



SN110
Cream white



SN120
Cream



SN130
Mocca



SN140
Bordeaux



SN150
Sepia



SN160
Pale blue



SN170
Black

Metallic Colours



ML110
Dove grey



ML120
Titanium grey



ML130
Blue grey



ML140
Granite



ML150
Cappuccino



ML160
Terra brown



ML170
Graphite black

RAL Colours



A1004
Golden yellow



A2003
Pastel orange



A3002
Carmine red



A3003
Robin red



A5002
Ultramarine blue



A6018
Yellow green



A7001
Silver grey



A7011
Iron grey



A7016****
Anthracite grey




A7030
Stone grey



A7035
Light grey



A8017
Chocolate brown



A9003
Signal white



A9005
Jet black



RAL 9016**
Traffic white

FOR FURTHER INFORMATION ON RAL COLOURS PLEASE VISIT WWW.RALCOLOR.COM

*Please note: When choosing a colour only the front fascia panel can be coloured. Where the product height is 1000mm and 1200mm, the emitter, top grille and side panels are black. If the product height is 1800mm and 2000mm, the emitter, top grille and side panels are white.



RAL 9016**
Traffic white
comes as
standard on
all radiators.

Stelrad Radiators are available in white (RAL 9016) as standard, however the specific Radiators identified are now available in a variety of colours. The colours shown are reproduced as accurately as this process will allow and can be made to order on the identified products.

All colour radiators have up to an 8 week lead time, and when a coloured radiator or radiators have been ordered they cannot be cancelled or returned.

To request a colour chart please email
marketing@stelrad.com

Vita Concept radiators are only available in this colour: ****Anthracite Grey.

GLOSSARY

Btu/hr	British Thermal Unit per hour is the standard measurement used to state the amount of output of any heat generating device.
Watts	Is another measurement for heat output, 1 watt is equivalent to 3.412 Btu/hr.
P1	Also known as Type 10, is a type of radiator with 1 radiator panel and no convection fins.
P2	Also known as Type 20, is a type of radiator with 2 radiator panels and no convection fins.
K1	Also known as Type 11, is a type of radiator with 1 radiator panel and 1 set of convection fins.
P+	Also known as Type 21, is a type of radiator with 2 radiator panels and 1 set of convection fins.
K2	Also known as Type 22, is a type of radiator with 2 radiator panels and 2 sets of convection fins.
K3	Also known as Type 33, is a type of radiator with 3 radiator panels and 3 sets of convection fins.
Δt	Refers to the difference in temperature between the water circulating in the central heating system and that of the ambient temperature. It is important to use the correct Δt when selecting your radiators, as the same radiator will have different outputs at different water temperatures.
Δt_{50}	Δt_{50} is the UK standard, however Stelrad also quote at lower levels for lower water temperature systems.
Heat loss	Is the amount of heat a room loses, it is therefore an important calculation when determining what size radiator is required to heat a room to the correct level.
UIN	Is the unique identification number for Stelrad products.
Warranty	The warranty covers any defect that is attributable to a manufacturing, assembly or material fault. Further details available on request.
ISO14001	Is a set of International regulations related to the environment.
ISO9001	Is a set of International regulations related to quality management systems.
OHSAS18001	Is a set of International regulations related to health and safety.
TBOE / BOE	Refers to which position the pipes are connected to the radiator, OE means opposite end i.e. 1 pipe on each side, TB is top bottom i.e. 1 pipe is connected to the top and 1 to the bottom, B is both pipes connected to the bottom.
CETIAT tested	A leading independent French laboratory which conducts testing and assessments.
	EN 442 is the European standard which defines the manufacturing standards for radiators and convectors which operate at temperatures of less than 120°C. The standard defines the type of steel which must be used, the type of pressure testing which must be carried out and the accuracy of the heat outputs quoted in the literature.
	The Stelrad Technically Advanced Radiator System heatloss calculator, offers an even simpler way to get sizing of radiators right, first time.
KIWA	Kiwa Ltd is an energy consultancy, Notified Body, UKAS-accredited testing lab and training centre with expertise in gas, oil, solid fuel, biomass and other renewables, construction materials, water and electricity.
RAL	A European wide colour matching system.
BSP	British Standard Piping.
	MARC - the Manufacturers' Association of Radiators and Convectors.
CIBSE	The Chartered Institution of Building Services Engineers is the prime source of expertise in the Building Services industry.
RIBA	RIBA aims to support British architects and introduce new people to the world of architecture.
BIID	The British Institute of Interior Design is a professional organisation for commercial and residential interior designers in Britain.

ICON KEY



2 year warranty that covers any defect that is attributable to a manufacturing, assembly or material fault. Further details available on request.



5 year warranty that covers any defect that is attributable to a manufacturing, assembly or material fault. Further details available on request.



10 year warranty that covers any defect that is attributable to a manufacturing, assembly or material fault. Further details available on request.



15 year warranty that covers any defect that is attributable to a manufacturing, assembly or material fault. Further details available on request.



Continuing Professional Development. CIBSE (Chartered Institute of British Service Engineers) and RIBA (Royal Institute of British Architects). CPD approved courses available.



All radiators with this logo are made to order. Made to order radiators cannot be cancelled or returned once ordered.



Business Information Modelling. Visit www.stelrad.com to download BIM components.



Market leading prices from your market leader.



Outstanding energy efficient radiators with the ability to reduce your bills by up to 10.5%.



Award winning radiators from Stelrad, the UK's number one radiator brand.



All colour radiators have up to an 8 week lead time.



The Maximum working pressure is the limit at which the system can operate. Different designs and types of construction requires different gauges of steel in order achieve the desired working pressure.

CORPORATE SOCIAL RESPONSIBILITY (CSR)

Stelrad recognises that its success is built on integrating business values and operations to meet the expectations of stakeholders. Stelrad's social, economic and environmental responsibilities are to these stakeholders, which are demonstrated throughout its business practises, policies and achievements. Stelrad are committed to Integrated Management Systems for control of Quality, Health and Safety and Environment, which are certificated to BSI OHSAS / ISO standards.

Wherever possible, Stelrad sources renewable and recyclable materials. 100% of all metal and other raw materials throughout the manufacturing process are recycled.

A full CSR policy document is available on request.

To re-order this brochure, call sales admin on 0844 543 6200 and quote UIN: 208901

Safety Certificates



Memberships



Follow us on



@stelrad



facebook.com/
stelradradiators



pinterest.com/
stelrad



youtube.com/user/
stelradradiators



instagram.com/
stelradradiators



Stelrad Limited, Stelrad House, Marriott Road
Mexborough, South Yorkshire, S64 8BN

www.stelrad.com

Telephone: 0844 543 6200

UIN 208901
VS/3K/0618

